

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
1	PSPTB-2020-012473	38	FAIL
2	PSPTB-2023-060730	64	PASS
3	PSPTB-2020-018017	44	FAIL
4	034062	58	PASS
5	PSPTB-2022-040318	51	PASS
6	PSPTB-2022-040770	67	PASS
7	PSPTB-2022-041288	46.5	FAIL
8	PSPTB-2024-062520	60.5	PASS
9	PSPTB-2020-018802	51	PASS
10	PSPTB-2020-019329	38.5	FAIL
11	032860	59.5	PASS
12	PSPTB-2021-002728	45	FAIL
13	PSPTB-2024-062567	54	PASS
14	PSPTB-2023-060641	55.5	PASS
15	PSPTB-2023-060232	62	PASS
16	PSPTB-2022-010806	46.5	FAIL
17	PSPTB-2020-016568	47	FAIL
18	PSPTB-2020-018815	61	PASS
19	PSPTB-2020-001534	35.5	FAIL
20	PSPTB-2023-061831	44	FAIL
21	PSPTB-2020-015324	51.5	PASS
22	PSPTB-2023-061840	54.5	PASS
23	PSPTB-2020-016610	66.5	PASS
24	PSPTB-2023-061817	52.5	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
25	PSPTB-2020-016616	42	FAIL
26	PSPTB-2020-016352	38	FAIL
27	PSPTB-2022-041252	60	PASS
28	PSPTB-2022-011646	58	PASS
29	PSPTB-2023-061872	42.5	FAIL
30	PSPTB-2020-017401	53.5	PASS
31	PSPTB-2023-061879	51.5	PASS
32	033540	53	PASS
33	PSPTB-2023-041401	53	PASS
34	PSPTB-2022-011571	43.5	FAIL
35	PSPTB-2020-018171	44.5	FAIL
36	PSPTB-2020-019348	51	PASS
37	032627	54.5	PASS
38	PSPTB-2022-041175	39	FAIL
39	PSPTB-2020-013788	53	PASS
40	PSPTB-2022-010869	55.5	PASS
41	PSPTB-2023-060649	50	PASS
42	036858	40	FAIL
43	036669	45.5	FAIL
44	PSPTB-2019-000244	50.5	PASS
45	PSPTB-2024-062252	56.5	PASS
46	PSPTB-2020-011374	55	PASS
47	PSPTB-2022-040812	45.5	FAIL
48	PSPTB-2024-062256	58	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
49	035381	45.5	FAIL
50	36870	59	PASS
51	PSPTB-2020-014529	38.5	FAIL
51	PSPTB-2021-004344	NA	ABSENT
52	PSPTB-2021-002753	45.5	FAIL
53	034409	38	FAIL
54	PSPTB-2024-062511	41.5	FAIL
55	PSPTB-2020-001112	54.5	PASS
56	PSPTB-2022-011976	38	FAIL
57	PSPTB-2020-012197	54	PASS
58	PSPTB-2022-041203	37.5	FAIL
59	035142	37.5	FAIL
60	PSPTB-2020-015151	58.5	PASS
61	PSPTB-2022-040833	54	PASS
62	PSPTB-2023-060284	38.5	FAIL
63	PSPTB-2023-060760	41.5	FAIL
64	PSPTB-2020-001169	36	FAIL
65	PSPTB-2020-001254	44	FAIL
66	PSPTB-2020-013009	52.5	PASS
67	PSPTB-2023-060653	46	FAIL
68	021355	45.5	FAIL
69	PSPTB-2022-041243	39.5	FAIL
70	PSPTB-2020-012702	40.5	FAIL
71	PSPTB-2020-018893	44	FAIL

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
72	PSPTB-2020-001678	37	FAIL
73	PSPTB-2022-010948	55.5	PASS
74	PSPTB-2023-061873	46.5	FAIL
75	PSPTB-2023-060212	70	PASS
76	PSPTB-2022-041179	42.5	FAIL
77	PSPTB-2020-019171	46.5	FAIL
78	PSPTB-2024-061971	41.5	FAIL
79	PSPTB-2021-002765	53.5	PASS
80	PSPTB-2020-002185	54	PASS
81	PSPTB-2020-016238	57.5	PASS
82	PSPTB-2019-000465	38	FAIL
83	PSPTB-2021-002816	50.5	PASS
84	PSPTB-2020-001158	42.5	FAIL
85	PSPTB-2024-062513	57	PASS
86	PSPTB-2024-062276	39.5	FAIL
87	035715	54.5	PASS
88	PSPTB-2021-002849	56	PASS
87	PSPTB-2022-011858	NA	ABSENT
89	PSPTB-2020-018915	51.5	PASS
90	PSPTB-2020-014622	64	PASS
91	PSPTB-2023-060656	42	FAIL
92	PSPTB-2020-014628	40	FAIL
93	PSPTB-2022-040421	53	PASS
94	PSPTB-2022-011931	40	FAIL

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
95	PSPTB-2022-011350	37	FAIL
96	PSPTB-2023-041511	58	PASS
97	PSPTB-2023-060755	53	PASS
98	PSPTB-2020-001737	56	PASS
99	033969	58	PASS
100	PSPTB-2024-062631	56.5	PASS
101	PSPTB-2020-018028	39.5	FAIL
102	PSPTB-2020-016842	36.5	FAIL
103	PSPTB-2020-019391	52.5	PASS
104	PSPTB-2023-060658	44	FAIL
105	PSPTB-2021-004321	41	FAIL
106	PSPTB-2020-018931	41.5	FAIL
107	PSPTB-2022-041329	55	PASS
108	PSPTB-2024-062517	57.5	PASS
109	PSPTB-2020-016856	43.5	FAIL
110	PSPTB-2022-040436	43	FAIL
111	PSPTB-2020-012214	53	PASS
112	PSPTB-2020-008703	40.5	FAIL
113	PSPTB-2023-060662	53.5	PASS
114	PSPTB-2022-011370	38.5	FAIL
115	PSPTB-2023-061838	59	PASS
116	PSPTB-2023-060664	43.5	FAIL
117	PSPTB-2023-061862	64	PASS
118	PSPTB-2024-063841	41	FAIL

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
119	PSPTB-2020-001778	54	PASS
120	PSPTB-2020-011981	60	PASS
121	PSPTB-2023-060326	44	FAIL
122	PSPTB-2023-041516	55.5	PASS
123	PSPTB-2022-040869	45	FAIL
124	PSPTB-2020-016915	45	FAIL
125	PSPTB-2019-008566	47.5	FAIL
126	PSPTB-2020-016255	42	FAIL
127	PSPTB-2020-21554	51.5	PASS
128	PSPTB-2021-004363	54	PASS
129	033694	39.5	FAIL
130	PSPTB-2023-060904	42.5	FAIL
131	030735	50.5	PASS
132	PSPTB-2020-018957	45	FAIL
133	PSPTB-2023-060335	53.5	PASS
134	PSPTB-2024-062519	52	PASS
135	PSPTB-2022-011033	37	FAIL
136	PSPTB-2022-041307	41	FAIL
137	PSPTB-2019-000135	63	PASS
138	PSPTB-2022-011036	45.5	FAIL
139	PSPTB-2022-040671	45.5	FAIL
140	PSPTB-2022-011039	59.5	PASS
141	PSPTB-2023-061710	57	PASS
142	PSPTB-2022-041197	53	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
143	PSPTB-2022-011052	51	PASS
144	PSPTB-2019-000426	50.5	PASS
145	PSPTB-2024-062140	43.5	FAIL
146	PSPTB-2019-000147	56.5	PASS
147	036486	61.5	PASS
148	031395	51	PASS
149	PSPTB-2023-060365	55	PASS
150	PSPTB-2022-040485	51.5	PASS
151	PSPTB-2020-002593	55	PASS
152	PSPTB-2020-015049	51.5	PASS
153	PSPTB-2022-011883	55	PASS
154	PSPTB-2023-061833	46.5	FAIL
155	PSPTB-2022-041089	61	PASS
156	PSPTB-2023-060368	59.5	PASS
157	PSPTB-2024-062524	43.5	FAIL
158	PSPTB-2022-011950	53.5	PASS
159	PSPTB-2024-062326	37.5	FAIL
160	PSPTB-2020-019243	57.5	PASS
161	PSPTB-2020-017024	55	PASS
162	PSPTB-2023-061823	53.5	PASS
163	PSPTB-2022-041212	52.5	PASS
164	PSPTB-2022-011741	39	FAIL
165	PSPTB-2024-062525	60	PASS
166	PSPTB-2022-041336	60	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
168	PSPTB-2020-010604	NA	ABSENT
167	PSPTB-2024-062561	45	FAIL
168	PSPTB-2022-040919	38.5	FAIL
169	030244	41.5	FAIL
170	PSPTB-2019-001034	39.5	FAIL
171	PSPTB-2019-000315	45	FAIL
172	PSPTB-2023-061824	63	PASS
173	PSPTB-2020-012402	54	PASS
174	033436	43.5	FAIL
175	PSPTB-2023-061847	53	PASS
176	PSPTB-2024-062025	53	PASS
177	PSPTB-2023-060384	52.5	PASS
178	PSPTB-2020-013178	62.5	PASS
179	PSPTB-2020-018570	36.5	FAIL
180	PSPTB-2022-041204	61.5	PASS
181	PSPTB-2024-062027	58	PASS
182	PSPTB-2020-002604	39	FAIL
183	PSPTB-2022-011116	35	FAIL
184	PSPTB-2022-041104	44	FAIL
185	PSPTB-2020-015752	40.5	FAIL
186	PSPTB-2020-017109	50	PASS
187	PSPTB-2023-061480	58	PASS
188	PSPTB-2022-011118	53.5	PASS
189	PSPTB-2023-061904	51.5	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
190	PSPTB-2024-062526	50	PASS
191	PSPTB-2020-018591	41.5	FAIL
192	PSPTB-2022-011141	50.5	PASS
193	PSPTB-2020-001919	44.5	FAIL
194	PSPTB-2023-060975	72.5	PASS
195	PSPTB-2020-016456	50.5	PASS
196	036665	51.5	PASS
197	PSPTB-2023-060402	58	PASS
198	PSPTB-2020-018622	58	PASS
199	PSPTB-2022-040716	38	FAIL
200	PSPTB-2024-063789	51.5	PASS
201	PSPTB-2020-017649	43	FAIL
202	PSPTB-2022-011151	54.5	PASS
203	PSPTB-2022-041109	56.5	PASS
204	PSPTB-2020-019040	58.5	PASS
205	028564	43.5	FAIL
206	PSPTB-2022-011769	45	FAIL
207	PSPTB-2023-061821	57.5	PASS
208	PSPTB-2024-062354	40	FAIL
209	034220	52.5	PASS
210	PSPTB-2024-062559	55.5	PASS
211	PSPTB-2020-011654	55	PASS
212	PSPTB-2020-018650	61.5	PASS
213	PSPTB-2020-0018654	51.5	PASS

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
214	PSPTB-2020-21711	43	FAIL
215	PSPTB-2024-062575	44	FAIL
216	PSPTB-2020-012879	52.5	PASS
217	PSPTB-2020-001098	53	PASS
218	PSPTB-2020-012439	45.5	FAIL
219	PSPTB-2020-001984	52.5	PASS
220	PSPTB-2023-061852	54.5	PASS
221	PSPTB-2020-017678	44	FAIL
222	PSPTB-2020-019066	39.5	FAIL
223	PSPTB-2023-060637	69	PASS
224	PSPTB-2019-000217	50.5	PASS
225	PSPTB-2020-002007	51	PASS
226	PSPTB-2022-041177	54	PASS
227	PSPTB-2021-004252	43	FAIL
228	PSPTB-2023-061827	45.5	FAIL
229	PSPTB-2021-002886	53	PASS
230	PSPTB-2020-011822	35.5	FAIL
231	PSPTB-2023-061854	51	PASS
232	PSPTB-2020-017841	54.5	PASS
233	PSPTB-2020-012946	51	PASS
234	PSPTB-2022-041207	38.5	FAIL
235	PSPTB-2020-019460	47	FAIL
236	PSPTB-2020-011824	53	PASS
237	PSPTB-2020-002034	39	FAIL

CPSP RESEARCH PROPOSAL DEFENSE RESULTS FOR MAY

SN	CR NUMBER	AVERAGE DEFENSE RESULTS	REMARKS
238	PSPTB-2023-061567	NA	ABSENT
238	PSPTB-2020-014922	53	PASS
239	PSPTB-2021-004336	37	FAIL
240	PSPTB-2022-040587	41.5	FAIL
241	PSPTB-2020-002634	58	PASS
242	PSPTB-2020-002053	51	PASS
243	PSPTB-2023-060441	55	PASS
244	PSPTB-2022-0040256	51.5	PASS
245	PSPTB-2022-041165	51.5	PASS
246	PSPTB-2020-002055	46	FAIL
247	PSPTB-2020-002056	35.5	FAIL
248	PSPTB-2020-001298	36	FAIL
249	036653	63	PASS
250	PSPTB-2023-061869	63	PASS
251	PSPTB-2021-004251	53	PASS
252	PSPTB-2020-013651	57	PASS
253	PSPTB-2023-061888	56	PASS
254	PSPTB-2024-062387	51.5	PASS
255	PSPTB-2022-011229	52.5	PASS
256	PSPTB-2022-011232	46	FAIL
257	PSPTB-2022-040746	62	PASS
258	PSPTB-2020-002085	45	FAIL